



RGB DMX DUVAR YIKAMA
(RGB DMX WALL WASHER) - DMXWW-XX-XX



TEKNİK ÖZELLİKLER / TECHNICAL FEATURES

Ürün Kodu / Product Code	DMXWWP-18-XX	DMXWWP-36-XX	DMXWWP-54-XX	DMXWWP-72-XX
Işık Kaynağı / Light Source	18 X 1W / 3W Power LED	36 X 1W / 3W Power LED	54 X 1W / 3W Power LED	72 X 1W / 3W Power LED
Işık Rengi / Light Color	RGB	RGB	RGB	RGB
Dış Yapı / Housing	Alüminyum Extrüzyon Profil Aluminium Extrusion Profile	Alüminyum Extrüzyon Profil Aluminium Extrusion Profile	Alüminyum Extrüzyon Profil Aluminium Extrusion Profile	Alüminyum Extrüzyon Profil Aluminium Extrusion Profile
Boyutlar / Dimensions (mm)	105 x 182 x 175	105 x 182 x 350	105 x 182 x 525	105 x 182 x 700
Ağırlık / Weight (kg)	2,4	4,3	6,2	8,1
Giriş Voltajı / Input Voltage	24 VDC - 220VAC	24 VDC - 220VAC	24 VDC - 220VAC	24 VDC - 220VAC
Güç Tüketimi Power Consumption (W)	22.0 W (1W LED) , 44.1 W (3W LED)	44.1 W (1W LED) , 88.2 W (3W LED)	66.1 W (1W LED) , 132.3 W (3W LED)	88.2W (1W LED) , 176.4W (3W LED)
Ürün Ömrü (saat) LifeTime (hr)	50000	50000	50000	50000
Çalışma Sıcaklığı (°C) Operating Temperature	-30°C ~ +40°C	-30°C ~ +40°C	-30°C ~ +40°C	-30°C ~ +40°C
Saklama Sıcaklığı (°C) Storage Temperature	-30°C ~ +60°C	-30°C ~ +60°C	-30°C ~ +60°C	-30°C ~ +60°C
IP Sınıflandırması IP Classification	IP40	IP40	IP40	IP40
Kontrol Sistemleri Control Systems	1-10V , DMX	1-10V , DMX	1-10V , DMX	1-10V , DMX

RGB DMX DUVAR YIKAMA UYGULAMALARI
(RGB DMX WALL WASHER APPLICATIONS)



RGB DMX DUVAR YIKAMA UYGULAMALARI
(RGB DMX WALL WASHER APPLICATIONS)

